



P R O D U C T C A T A L O G U E









LONG NOSE PLIERS

Forged steel, nickel finish Bi-color plastic handle


Packed by sliding card

 STOCK NO.
 SIZE

 10003
 160mm,6"

 10004
 180mm,7"

TOOLS AND MORE WATER PUMP PLIERS Forged steel, nickel finish Bi-color plastic handle Packed by sliding card



10017


200mm,8"

SIZE

160mm,6'

STOCK NO.







900mm,36"

BOLT CUTTER

High quality carbon steel blade, polished finish Packed by drawing box with color label

10064



STOCK NO.	SIZE
10241	300mm,12"
10242	350mm,14"
10243	450mm,18"
10244	600mm,24"
10245	750mm,30"
10246	900mm,36"
10247	1050mm,42"

MINI BOLT CUTTER

65Mn blade Cutting edges induction quenched With comfortable pvc grips A lock in the end of handle Steel handle Packed by sliding card



STOCK NO. SIZE 10066 200mm,8"





STOCK NO.	SIZE	MAX CLAMPING DIA.
10067	200mm,8"	27mm
10068	250mm,10"	34mm
10069	300mm,12"	43mm
10070	350mm,14"	50mm
10071	450mm,18"	60mm
10072	600mm,24"	76mm
10073	900mm,36"	105mm

Mobile jaw drop-forged with high quality CrMo steel



STOCK NO.	SIZE
10221	250mm,10"
10222	300mm,12"
10223	350mm,14"
10224	450mm,18"
10225	600mm,24"
10226	900mm,36"
10227	1200mm,48"

PIPE WRENCH

PIPE WRENCH

Aluminium alloy body

Packed by hang tag with drawing box

Mobile jaw drop-forged with high quality carbon steel Packed by hang tag with drawing box



STOCK NO.	SIZE
10231	200mm,8"
10232	250mm,10"
10233	300mm,12"
10234	350mm,14"
10235	450mm,18"
10236	600mm,24"
10237	900mm,36"

TOLSEN

OFFSET PIPE WRENCH

Mobile jaw drop-forged with high quality carbon steel Packed by hang tag with drawing box



STOCK NO.	SIZE
10211	200mm,8"
10212	250mm,10"
10213	300mm,12"
10214	350mm,14"
10215	450mm,18"
10216	600mm,24"
10217	900mm,36"

90° BENT NOSE PIPE WRENCH

()

Mobile jaw drop-forged with high quality Cr-V steel Packed by color box



STOCK NO.	SIZE	CLAMPING DIA.
10251	ן"	40mm
10252	1.5"	55mm
10253	2"	67mm
10254	3"	103mm

45° BENT NOSE PIPE WRENCH

Mobile jaw drop-forged with high quality Cr-V steel Packed by color box


INDUSTRIAI



STOCK NO.	SIZE	MAX CLAMPING DIA.
10256	1"	40mm
10257	1.5"	55mm
10258	2"	67mm
10259	3"	103mm







<text></text>	SPRING CLAMP Myon-fiberglass mixture body PE Jawa Packed by hang tag	MECHANICS TOOLS
STOCK NO. SIZE 10112 75mm,3" 10113 100mm,4" 10114 150mm,6" 10115 200mm,8" F-CLAMP Nickel plated bar,Nickel plated thread bar Wooden handle Packed by color label	STOCK NO. SIZE 10198 100mm,4" 10199 150mm,6" OUICK RATCHET BAR CLAMP Hard plactic body Black finished bar Soft non-marking pads Packed by hang tag	ADJUSTABLE WRENCH Chrome finish Packed by poly bag+hang tag
STOCK SIZE THICKNESS AND WIDTH OF IRON RULER 10123 50x150mm 4.5x14.5mm 10125 50x250mm 6.5x28.5mm 10151 120x300mm 6.5x28.5mm 10155 120x800mm 6.5x28.5mm 10156 120x1000mm 6.5x28.5mm 10156 120x1000mm 6.5x28.5mm	STOCK NO. SIZE 10201 150mm,6" 10204 300mm,12"	TOCK NO. SIZE CLAMPING RANGE 15001 150mm,6" 0-19mm 15002 200mm,8" 0-24mm 15003 250mm,10" 0-35mm 15004 300mm,12" 0-35mm 15005 375mm,15" 0-43mm 15006 450mm,18" 0-52mm Chome finish 0-52mm 0-52mm Bicolor plastic handle Bicolor plastic hanger
F-CLAWIF Nickel plated bar Bicolor plastic handle Packed by color label Variable Stock STOCK NO. SIZE AND WIDTH OF IRON RULER 10161 50x150mm 50x250mm 50x150mm 50x150mm 50x250mm 50x250mm 8x30mm 10191 120x800mm 8x30mm 10194	Powder coated Zinc plated thread bar	STOCK NO. SIZE CLAMPING RANGE 15008 150mm,6" 0-19mm 15009 200mm,8" 0-24mm 15010 250mm,10" 0-30mm 15011 300mm,12" 0-35mm

TOLSEN

DOUBLE OPEN END SPANNER CrV Chrome plated, satin finish Packed by flag label



STOCK NO.	SIZE
15051	6x7mm
15052	8x9mm
15053	10x11mm
15054	12x13mm
15055	14x15mm
15056	16x17mm
15057	18x19mm
15058	20x22mm
15059	21x23mm
15060	24x27mm
15061	25x28mm
15062	30x32mm

COMBINATION SPANNER

CrV Chrome plated, satin finish Packed by flag label




STOCK NO.	SIZE
15014	6mm
15015	7mm
15016	8mm
15017	9mm
15018	10mm
15019	llmm
15020	12mm
15021	13mm
15022	14mm
15023	15mm
15024	16mm
15025	17mm
15026	18mm
15027	19mm
15028	20mm
15029	21mm
15030	22mm
15031	23mm
15032	24mm
15033	25mm
15034	26mm
15035	27mm
15036	28mm
15037	29mm
15038	30mm
15039	32mm

DOUBLE RING SPANNER

CrV

Chrome plated, satin finish Packed by flag label



8PCS COMBINATION SPANNERS

SET

CrV Chrome plated, satin finish Packed by pouch





STOCK NO. SIZE 15159 8, 10, 12, 13, 14, 15, 17, 19 mm

12PCS COMBINATION SPANNERS SET

CrV



 STOCK NO.
 SIZE

 15075
 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22 mm

TOOLS AND MORE

14PCS COMBINATION SPANNERS SET

CrV Chrome plated, satin finish Packed by pouch







8PCS DOUBLE OPEN END SPANNERS SET

CrV Chrome plated, satin finish Packed by pouch





STOCK NO. SIZE **15076**6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm

12PCS DOUBLE OPEN END SPANNERS SET

CrV Chrome plated, satin finish Packed by pouch







8PCS DOUBLE RING SPANNERS



5PCS COMBINATION SPANNERS SET


Cr-v Chrome plated, satin finish Packed by plastic hanger



STOCK NO.	SIZE
15155	8/10/12/14/17mm



TOLSEN



SIZE

8, 10, 12, 13, 14,

17, 19mm


STOCK NO.

15229

14"

17x19x21x23 mm







2" \$	SOCKET			
	al:50BV30,heat trea		Z	
c.to ว" ระ	DIN3124, ISO2725)-1 DIN3120, ISO1174,		
	aining groove	51113120, 1301174,	S S S S S S S S S S S S S S S S S S S	
	perated,polished,	chrome-plated	RIV	
cked	by plastic hanger		P	
5				1
8		a ser		
	4	5	1/3'	Ť.
2			12	
1				U
			DIN	E
1				
	A. S.		ISO	T
			150	
	STOCK NO.	SIZE		
	16508	8mm		S
	16509	9mm		
	16510	10mm		
	16511	11mm		
	16512 16513	12mm		
	16514	13mm 14mm		
	16514	14mm 15mm		
	16516	16mm		
	16517	17mm		
	16518	18mm		
	16519	19mm		
	16520 16521	20mm 21mm		
	16522	21mm 22mm		
	16523	23mm		
	16524	24mm		
	16527	27mm		
	10500			
	16530	30mm		
	16530	30mm 32mm		
	16532	32mm		8
	16532 DEEP SOCK	32mm ET		
ateria	16532 DEEP SOCK al:50BV30,heat trea	32mm ET tment	FIND	
ateria c.to	16532 DEEP SOCK al:50BV30,heat trea DIN3124, ISO2725	32mm ET tment	vith ball	8
ateria c.to 2" Sc ainin	16532 DEEP SOCK al:50BV30, heat trea DIN3124, ISO2725 quare dirver as per f g groove	32mm ET Itment 5-1 DIN3120,ISO1174,w	vith ball	8
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Itment 5-1 DIN3120,ISO1174,w	vith ball	8
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat trea DIN3124, ISO2725 quare dirver as per f g groove	32mm ET Itment 5-1 DIN3120,ISO1174,w	TINDUSTRIALJ	
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Itment 5-1 DIN3120,ISO1174,w	TRIALJ	8
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Itment 5-1 DIN3120,ISO1174,w	TRIALJ	
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Itment 5-1 DIN3120,ISO1174,w	vith ball	s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Intment JUN3120,ISO1174,w chrome-plated	TRIALJ	s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Intment JUN3120,ISO1174,w chrome-plated	TRIALJ	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Itment 5-1 DIN3120,ISO1174,w	TRIALJ	s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Intment JUN3120,ISO1174,w chrome-plated	TRIALJ	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Intment JUN3120,ISO1174,w chrome-plated		s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Intment JUN3120,ISO1174,w chrome-plated	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:50BV30, heat treat DIN3124, ISO2725 quare dirver as per I g groove operated, polished, r	32mm ET Intment JUN3120,ISO1174,w chrome-plated		s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat DIN3124, ISO2722 quare dirver as per I g groove by plastic hanger	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated	TRALJ O 1/2 DIN	s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat DIN3124, ISO2725 quare dirver as per I gg groove poperated, polished, i by plastic hanger	32mm ET trment -1 DIN3120,ISO1174,w chrome-plated	TRALJ O 1/2 DIN	s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat DIN3124, ISO2722 quare dirver as per I g groove by plastic hanger	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat tree DIN3124, ISO2725 yuare driver as per f ig groove poperated, polished, i by plastic hanger	32mm ET truent 5-1 DIN3120,ISO1174,w chrome-plated	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat plN3124, ISO2722 apare dirver as per I g groove operated, polished, i by plastic hanger STOCK NO. 16558 16559 16560 16561	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat DIN3124, ISO2725 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16561	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 11mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat tree DIN3124, ISO2725 uare dirver as per I gg groove poerated, polished, i by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat DIN3124, ISO2725 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16561	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 11mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat tree DIN3124, ISO2725 yuare driver as per I gg groove poerated, polished, i by plastic hanger by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16564	32mm ET tment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm 14mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat plN3124, ISO2725 quare dirver as per 1 g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16565 16566 16565	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm 13mm 15mm 16mm 17mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30,heat treat DIN3124, ISO2725 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16565 16566 16567 16566	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm 14mm 15mm 16mm 17mm 16mm 17mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30,heat tree DIN3124, ISO2725 uare dirver as per I gg groove perated, polished, i by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16564 16565 16566 16567 16568 16569	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 12mm 13mm 14mm 15mm 16mm 17mm 18mm 19mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30, heat treat DIN3124, ISO2725 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16565 16566 16567 16568	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm 14mm 15mm 16mm 17mm 16mm 17mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK bi:508V30,heat trea DIN3124, ISO2722 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16565 16566 16565 16566 16565 16566 16571 16571	32mm ET truent 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 13mm 14mm 15mm 16mm 15mm 16mm 17mm 18mm 18mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK bi:508V30,heat trea DIN3124, ISO2722 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16566 16565 16566 16567 16568 16566 16570 16571 16572 16573	32mm ET trment import trment import transteller transt	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK bit508V30, heat treat DIN3124, ISO2725 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16566 16565 16566 16565 16566 16567 16568 16569 16570 16571 16572 16573 16574	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm 14mm 15mm 13mm 14mm 15mm 15mm 17mm 18mm 19mm 20mm 21mm 23mm 23mm	TRALJ O 1/2 DIN	S
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK al:508V30,heat tree DIN3124, ISO2725 uare dirver as per I g groove poerated, polished, i by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16564 16565 16566 16567 16568 16569 16570 16571 16572 16573	32mm ET tment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm 14mm 15mm 16mm 17mm 18mm 19mm 20mm 21mm 22mm	TRALJ O 1/2 DIN	s
ateria c.to 2" Sc ainin nd-c	16532 DEEP SOCK bit508V30, heat treat DIN3124, ISO2725 quare dirver as per I g groove by plastic hanger STOCK NO. 16558 16559 16560 16561 16562 16563 16566 16565 16566 16565 16566 16567 16568 16569 16570 16571 16572 16573 16574	32mm ET trment 5-1 DIN3120,ISO1174,w chrome-plated SIZE 8mm 9mm 10mm 11mm 12mm 13mm 14mm 15mm 13mm 14mm 15mm 15mm 17mm 18mm 19mm 20mm 21mm 23mm 23mm	TRALJ O 1/2 DIN	s

TOLSEN











FULL RANGE OF PROFESSIONAL TOOLS I.

WWW.TAKATOOLS.COM









PH: PH0x38mm, PH1x38mm

9PCS CHANGEABLE 9PCS LONG ARM HEX KEY SET SCREWDRIVER SET CrV Heat treated, chrome plated 1pc scratch awl: 3mm Packed by sliding card PH: PH0x38mm, PH1x38mm, PH2x38mm SL: 1.6x0.4x38mm, 3x0.6x38mm, 5x1.0x38mm, 6x1.2x38mm Packed by plastic box • Ó STOCK NO. SIZE STOCK NO. SIZE 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm 20048 20038 **9PCS EXTRA-LONG ARM HEX KEY** 8-IN-1 SCREWDRIVER SET SET SL: 3.0x65, 5.0x65, 6.0x65mm PH: PH0x65, PH1x65, PH2x65mm CrV 1pc scratch awl 3x65mm Heat treated , chrome plated 1pc tack remover 5x65mm Packed by sliding card 1pc handle Packed by plastic box • STOCK NO. SIZE 1.5, 2, 2.5, 3, 4, 5, 20049 6, 8, 10mm STOCK NO. SIZE 20039 **9PCS BALL POINT LONG ARM HEX KEY SET 10PCS HEX KEY SET ON RING** CrV Packed by sliding card Heat treated, chrome plated Packed by sliding card Ó STOCK NO SIZE STOCK NO SIZE 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, 1.5, 2, 2.5, 3, 4, 5, 6, 20053 20051 8,10mm

TOOLS AND MORE

10mm





TOLSEN

NDUSTR


43003

10.5"

T-50x200mm



OPEN END BLIND RIVET






STOCK NO.	SIZE
43005	2.4x6.4mm
43006	2.4x8mm
43007	3.2x6.4mm
43008	3.2x10mm
43009	4x10mm
43010	4x12.7mm
43011	4.8x12.7mm
43012	4.8x16mm

HEAVY DUTY 3 WAY STAPLE GUN

Surface: powder coated With 200pcs each of crown, U-shape, brad nails. Compatible staples: Rapid 140, Arrow T50, Arrow T18, Rapid 28, Esco 300 Packed by double blister





STAPLE GUN Surface: powder coated Compatible staples: Rapid 530, Arrow [t2] Packed by sliding card



STAPLES

1000pcs packed in a color box

STOCK NO.	SIZE
43023	0.7x6mm
43024	0.7x8mm
43025	0.7x10mm
43028	1.2x8mm
43029	1.2x10mm
43030	1.2x12mm

TOOLS AND MORE



STOCK NO.	HEAD WEIGHT
25001	200g
25002	300g
25003	500g
25006	1000g
25007	1500g
25008	2000g



4-14mm (5/32"-9/16") 43021

STOCK NO.


25136

WEIGHT

5kgs

LENGTH

900mm



WEIGHT

4.5kgs/

10LB

LENGTH

900mm


25164


25165

25mm

27mm

STOCK NO.







9PCS FIGURE PUNCH Carbon steel, hardened Surface sandblasting Packed by color box



STOCK NO.	SIZE
25094	3mm
25097	6mm

27PCS LETTER PUNCH

Carbon steel, hardened Surface sandblasting Packed by color box



CROWBAR

Forged carbon steel with heat treatment
HRC52-56
TRCJZ-JU
Paint coating
Packed with color label
Tacked with color label



STOCK NO.	SIZE
25109	600x16mm
25111	750x18mm



SNAP-OFF BLADE KNIFE ABS case With flat push button

With flat push button Packed by OPP bag

STOCK NO. BLADE SIZE

30000 18x100mm

SNAP-OFF BLADE KNIFE ABS case

With flat push button Packed by label+display box









STOCK NO.

30006

BLADE SIZE

100x18.5x0.4mm







TOLSEN

STOCK NO.







MINI HACKSAW FRAME Plastic coated handle Including 1pc saw blade Packed by color label	

STOCK NO. SIZE 30051 150mm,6"

HACKSAW FRAME

Square lacquered steel tube bow frame With ABS handle Including 1pc saw blade Packed by color sticker





STOCK NO. SIZE 30052 300mm,12"

HACKSAW FRAME

Round lacquered steel tube bow frame With aluminium handle Including 1pc saw blade Packed by color sticker







65Mn blade, heat treated With teeth protector Packed by color sleeve





STOCK NO.	SIZE
31070	400mm,16
31071	450mm,18
31072	500mm,20
31073	550mm.22



SIZE

150mm,6"

10x

STOCK NO.

30055

MINI HACKSAW BLADE

10pcs packed by PP color bag

STOCK NO.

30060

Material : SK4 Black finished surface

24 TPI

SIZE

300mm,12"



SIZE

300mm,12"

10x

2x

SIZE

300mm,12"



STOCK NO. SIZE 31082 610mm,24"

GARDEN SAW BLADE (FOR DRY)

A-type double side grinding teeth High frequency hardened 65Mn blade Packed by color label



GARDEN SAW BLADE (FOR WET)

B-type double side grinding teeth High frequency hardened 65Mn blade Packed by color label



STOCK NO. SIZE 30106 610mm,24"




TOOLS AND MORE



31021

200mm,8"

STOCK NO.













STOCK NO.	SIZE	CUTTING DIA.
33000	200mm,8"	3-42mm
33000	200mm,8"	3-42m

PVC PIPE CUTTER

Aluminium alloy body 65Mn blade Packed by sliding card



STOCK NO.	SIZE	CUTTING DIA.
33002	210mm,8"	3-35mm

PIPE CUTTER Aluminium alloy body Packed by sliding card

 STOCK NO.
 CUTTING DIA.

 33003
 3-22mm

PIPE CUTTER Aluminium alloy body







 STOCK NO.
 CUTTING DIA.

 33004
 3-28mm

PIPE CUTTER








 STOCK NO.
 CUTTING DIA.

 33005
 3-32mm





12mm x 0.075 mm x

10m x 0.35g / cm³



TOOLS AND MORE


METRIC

INCH

METRIC

INCH





Packed by plastic case with color sleeve

SIZE

150mm

STOCK NO.

35047

STOCK NO.

35048

SIZE

2m



0-25mm **MINI SPIRIT LEVEL**

35055

35059

Aluminium

With 3 bubbles Packed by color sleeve


> **์180**° STOCK NO. SIZE

> > 22.5cm

45°







Trail Star De De

SIZE

4x190mm

STOCK NO.

38015

ίε



TOLSEN

6PCS VDE SCREWDRIVER SET

Cr






38041

195mm

	TOOLS AND MO
ELECTRICIANS SCISSORS Stainless steel blade Designed for telecom and electrical applications Packed by sliding card	RATCHET MODULAR CRIMPING PLIER Carbon steel with hardened and tempered frame Chemically black finished surface PP/TPR bi-color grips Compact and durable W/KEY way in 8P modular holder Cut and strip wire by one operation, easy and effici With round cable stripper For crimping modular plug as follows: 8P8C/RJ45, 8P6C, 8P4C, 8P2C; 6P6C/RJ12, 6P4C/RJ11, 6P2C Packed by sliding card
STOCK NO. SIZE 30043 140mm,5.5" PVC INSULATING TAPE Pure PVC CE approved Packed by color paper	
	7 38054 7.3/185mm
STOCK NO.SIZETHICKNESSLENGTH3802319mm (black)0.13mm10yards (9.15m)3802419mm (white)0.13mm0.915m)3802519mm (red)0.13mm10yards (9.15m)3B025Strength (red)0.13mm10yards (9.15m)ADJUSTABLE AUTOMATIC WIRE STRIPPERStrength Strength	38054 BP/6P RATCHET CRIMPING PLIER Carbon steel with hardened and tempered jaws Continuous crimping at preset tension ensures accurate crimp Chemically black finished surface PVC grips Suitable for crimping insulated terminals as follows DIN 0.5-1.0 / 1.5-2.5 / 4-6 mm ² AWG 22-18 / 16-14 / 12-10 Packed by sliding card
2-IN-1 Wire stripper & cutter Applicable wire stripper size: 0.5mm ² - 6mm ² Self-adjustable mechanism according to wire size provide excellent wire stripping Adjustable stop for consistency in wire strip lengths, replaceable blade system Strip 8mm width flat cable also applicable Simple adjustment dial for blade pressure according to the thickness of insulation Packed by sliding card	
STOCK NO. SIZE	STOCK NO. SIZE 8.7"/220mm


38050



SOLDERING IRON

GS/CE approved Voltage: 220-240V~50/60Hz Preheat time: 3~5minuters Straight, Tip head With a piece of support Great for electronics, computer equipment, watch repair and many other hobby and craft projects Packed by sliding card





STOCK NO.	INPUT POWER
38060	30W
38062	60W
38064	100W
•	

HELPING HAND MAGNIFIER

A useful aid for soldering work or model makers. Adjustable crocodile holding clamps. Bottom compartment is furnish with steel plate which can enhance stability.

Useful for soldering work, watches, computer repair, jewelry making or any other type of precision work Packed by color box







STOCK NO.	DIAMETER OF GLASS LENS
38090	62mm 1-1/2"

DIGITAL MULTIMETER

INDUSTRIAL

rindust

rial J

360%

IEC-61010 CAT III 300V 3¹/₂ digits LCD, Maximum display 1999 Large LCD display Low Battery indication Overload protection Data-hold mode Auto power off Specifications DC Voltage: 200m/2/20/200/300V AC Voltage: 2/20/200/300V DC Current: 200µ/2m/20m/200m/10A AC Current: 2m/20m/200m/10A Resistance: 200/2k/20k/200k/2M/20MW Battery Check: 1.5V.9V **Diode Check** Battery : 6F22 (9V) included Test lead: plug black & red GS/CE approved Packed by color box



TOLSEN

INDUSTRIAL

DIGITAL CLAMP MULTIMETER

IEC-61010 CATII 600V/CATIII 300V 3¹/₂ digits LCD, Maximum display 1999 Maximum opening size :28mm Low Battery Indication Overload protection Data-hold model Auto power off Specifications AC Current: 2/20/200/400A±(1.0% +9) AC Voltage: 2/20/200/600V±(1.2% +5) DC Voltage: 200m/2/20/200/600V±(0.8% +1) Resistance: 200W/2kW/20kW/200kW/2MW/20MW±(1.0% +2) **Diode Check** Batteries : 2xAAA (1.5V) included Test lead: plug black & red CE approved Packed by color box



FINDUSTRIAL





SIZE

SIZE

STOCK NO.

38031

ĆĘ





INSULATED TOOLS

TPREMIUMJ top quality for professionals



VDE refers to Verband Deutscher Elektrotechnikere in German. Technical working equipment and consumable materials subject to the applicable device and product safety laws bear the VDE-GS mark, which stands for the safety of the product with regard to electrical, mechanical, thermal, toxicological, radiological and other dangers. In addition, tools with the VDE-GS mark conform to the VDE regulations or European or internationally harmonised standards, i.e. they confirm the compliance with the safety requirements of the respective guidelines.

会1000V

DOUBLE TRIANGLE AND VOLTAGE RANGE

If insulated tools or aids are marked with the symbol of the double triangle and the assigned voltage or voltage range specification or the class, they are suitable for working on energised parts at the stated voltage.

DIN EN 60900 (IEC 60900)

An international standard which, among other things, describes the design of insulated tools in detail. For example, the thickness of the protective insulation is specified. In addition, the standard defines individual tests (piece tests) as well as series and random sample tests for checking the electrical safety of the protective insulation.

INSULATION TESTS

Every tool is tested to 10,000V



IMPACT TEST

The first test is carried out at ambient temperature of $23\pm5^{\circ}$ C and the energy of impact test can be equal to a fall from a height of 2 meters.

The second test is carried out at an ambient temperature of $-25\pm3^{\circ}$ C and the energy of impact test can be equal to a fall from a height of 0.6 meters. If with C marked, the test need to be done by $-40\pm3^{\circ}$ C.



ELECTRICAL TEST

The test piece is immersed in a bath of water at room temperature of 24 ± 0.5 hours. there should be no electrical discharge, spark over or flashover during 3mins testing at a voltage of 10KV.



INDENTATION TEST

With loading a weight of 20N and a voltage of 5KV, the indenter is applied to the centre of handle. under the situation, the testing piece should pass the electrical test.



TEST FOR ADHESION OF THE INSULATING MATERIAL COATING

The test piece is heated to $70E\pm3^\circ$ CE for 168 hours, then loaded with weights. the handle should fully attached to the metal part aer 3mins testing.



FLAME RETARDANCY TEST

The flame is applied to the test piece for 10 seconds. the height of the flame on the burning handle should not exceed 120mm in 20 seconds after burner removed.

INSULATED COMBINATION PLIERS

VDE/GS certificated Manufactured according to EN60900 Metal part made in CRV steel Nickel plated surface Precision machined body with strictly heat treatment Heavy two color insulated handles with slip guards for extra comfort and safety Packed by sliding card



STOCK NO.	SIZE
V38116	160mm,6"
V38117	180mm,7"
V38118	200mm,8"

INSULATED DIAGONAL CUTTING PLIERS

VDE/GS certificated

Manufactured according to EN60900 Metal part made in CRV steel Nickel plated surface Procision machined body with strictly b

Precision machined body with strictly heat treatment High leverage eccentric joint which makes the cutting of wires and cables up to 35% easier on the user Heavy two color insulated handles with slip guards for extra comfort and safety Packed by sliding card



INSULATED DIAGONAL CUTTING PLIERS

VDE/GS certificated Manufactured according to EN60900 Metal part made in CRV steel Nickel plated surface Precision machined body with strictly heat treatment High leverage eccentric joint which makes the cutting of wires and cables up to 35% easier on the user Heavy two color insulated handles with slip guards for extra comfort and safety Packed by sliding card




VDELIXE TOLSEN

INSULATED LONG NOSE PLIERS VDE/GS certificated Manufactured according to EN60900 PREMIUN PREMIU Metal part made in CRV steel Nickel plated surface Precision machined body with strictly heat treatment Flat-round jaws have serrated gripping surfaces Heavy two color insulated handles with slip guards for extra comfort and safety Packed by sliding card ∖000א STOCK NO. SIZE V38136 160mm.6 V38138 200mm,8" **INSULATED BENT NOSE PLIERS** PREMIU PREMIUM VDE/GS certificated Manufactured according to EN60900 Metal part made in CRV steel Nickel plated surface Precision machined body with strictly heat treatment Heavy two color insulated handles with slip guards for extra comfort and safety Packed by sliding card **≙1000** SIZE STOCK NO. V38146 160mm.6 V38148 200mm,8" PREMIUN **INSULATED FLAT NOSE PLIERS** PREMIUN VDE/GS certificated Manufactured according to EN60900 Metal part made in CRV steel Nickel plated surface Precision machined body with strictly heat treatment Flat jaws have serrated gripping surfaces Heavy two color insulated handles with slip guards for extra comfort and safety Packed by sliding card ∿1000 STOCK NO. SIZE

V38156


160mm.6'

TOLSEN[™] VDELIKE



V83411

V83204



TOLSEN VDELIKE





TOLSEN" VDELIKE

PREMIUM

15PCS INSULATED HAND TOOLS SET

- 1pc 200mm insulated combination pliers 1pc 200mm insulated long nose pliers 1pc 160mm insulated diagonal cutting pliers 1pc 160mm insulated wire stripping pliers 5pcs insulated slotted screwdrivers: 0.4x2.5x75mm, 0.5x3.0x100mm, 0.8x4.0x100mm, 1.0x5.5x125mm, 1.2x6.5x150mm 4pcs insulated phillips screwdrivers: PH0x60mm, PH1x80mm, PH2x100mm, PH3x150mm 1pc 3.0x70mm voltage tester 1pc 50x180mm cable knife VDE/GS certificated Manufactured according to EN60900
- Packed strong plastic box with EVA inside One box packed by color sleeve with shrink

18PCS INSULATED HAND TOOLS SET

1pc 200mm insulated dipped combination pliers 1pc 160mm insulated dipped long nose pliers Ipc 160mm insulated dipped long rose pilets Ipc 160mm insulated dipped wire stripping pliers Ipc 160mm insulated dipped wire stripping pliers 3pcs Insulated slotted screwdrivers: 0.4x2.5x75mm, 0.8x4.0x100mm, 1.0x5.5x125mm 3pcs insulated phillips screwdrivers: PH0x60mm, PH1x80mm, PH2x100mm 5pcs insulated open end spanners: 10mm, 12mm, 14mm, 17mm, 19mm Ipc 3.0x70mm voltage tester Ipc 50x180mm cable knife Ipc 250mm insulated adjustable wrench; VDE/GS certificated Manufactured according to EN60900 Packed strong plastic box with EVA inside One box packed by color sleeve with shrink

PREMIUN

TOOLS AND MORE

25PCS INSULATED HAND TOOLS SET

1pc 180mm insulated dipped combination pliers 1pc 180mm insulated dipped long mose pliers 1pc 180mm insulated dipped long nose pliers 1pc 160mm insulated dipped diagonal cutting pliers 2pcs insulated slotted screwdrivers: 0.8x4.0x100mm, 1.0x5.5x125mm 2pcs insulated slotted screwdrivers: PH1x80mm, PH2x100mm 14pcs 1/2" insulated dipped sockets: 10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 18mm, 19mm, 22mm, 24mm, 27mm, 30mm, 32mm 1pc 200mm insulated adjustable wrench 2pcs insulated extension bars: 1/2"x125mm, 1/2"x250mm 1pc 1/2"x250 insulated dipped reversible ratchet VDE/GS certificated

PREMIUM

Manufactured according to EN60900 Packed strong plastic box with EVA inside One box packed by color sleeve with shrink





A1000





STOCK NO. V82115



V83718

SIZE



SIZE V83825

会1000\





WALL SCRAPER

#50 carbon steel, heat treated Fine polished Wooden handle Packed with color label



STOCK NO.	SIZE
40000	30mm
40002	50mm
40004	80mm
40005	100mm

1230

3PCS WALL SCRAPER SET

> STOCK NO. SIZE 40008 50, 80, 100, 120mm

#60 carl Mirror p Bi-color	SCRAPER boon steel, heat tre olished TPR handle by poly bag with c		LINDUSTRIAL	3 PCS Flat pa White Plastic Packer
	39			
	V			
	STOCK NO.	SIZE		
	40011	30mm, 1.2"		
	40012	40mm, 1.5		
	40013	50mm, 2"		
	40014	60mm, 2.5"		
	40015	80mm, 3"		
	40015	100mm, 4"		CE
	40018	125mm, 5"		CEILI
				White
	40018	150mm, 6"		Plastic
	40020	200mm, 8"		Packe
	40021	250mm, 10"		
Flat pain White b Plastic h		ome plated ferrule olor label		
TE.				
	10.4			
-		>		
- 62	- 6			
1				
	6			
	STOCKNO	CIZE		
	STOCK NO.	SIZE		
	40031	1"		DA 11
	40032	1.5"		PAIN
	40033	2"		Flat pa
	40034	2.5"		White
	40035	3"		Stainle Fine p
	40036	4"		rinep
3 PCS	PAINT BRU	SH SET		NE
Flat pain	t brushes			
		ome plated ferrule		
Plastic h				
Packed I	oy blister card			
and and a second				
#15/1				
100 H				
12 3		-		
		-		
	1 million			1
	112		<i>_</i>	See
10	-		-	-
N.		S //		
	1	100 P		
		-		
		1		
		64°		
	STOCK NO.	SIZE		

STOCK NO. SIZE 40044 1"/1.5"/2"





40050

40051

2"

2.5"

PAINT ROLLER Material: polyester and acrylic Convenient and fast change the roller cover Using for outside wall or coarse wallsurface Packed by poly bag DIA. OF **STOCK** FIRRE SIZE CENTRAL NO. HEIGHT SHANK 40054 225mm,9" 11mm 5.7mm **PAINT ROLLER** Material: acrylic Convenient and fast change the roller cover Using for outside wall or coarse wallsurface Packed by poly bag DIA. OF STOCK FIBRE CENTRAL SIZE NO. HEIGHT SHANK 40057 225mm,9" 7mm 5.7mm PAINT ROLLER FRAME Steel wire with chrome plated Packed by poly bag with color label



ROLLER COVER

Material: polyester and acrylic Convenient and fast change the roller cover Using for outside wall or coarse wallsurface Packed by poly bag



ROLLER COVER



PAINT ROLLER

Material: polyester and acrylic Convenient and fast change the roller cover Using for outside wall or coarse wallsurface Packed by poly bag



PAINT ROLLER

Material: acrylic Convenient and fast change the roller cover Using for outside wall or coarse wallsurface Packed by poly bag



40077 250mm,10" 7mm 7.8mm

PAINT ROLLER FRAME

Steel wire with chrome plated Packed by poly bag with color label



TOOLS AND MORE

ROLLER COVER Material: polyester and acrylic Convenient and fast change the roller cover Using for outside wall or coarse wallsurface Packed by poly bag STOCK NO. FIRRE SIZE CENTRAL SHANK HEIGHT 40081 250mm,10" 11mm 7.8mm **ROLLER COVER** Material: acrylic Convenient and fast change the roller cover Using for outside wall or coarse wallsurface Packed by poly bag



STOCK NO.	SIZE	FIBRE HEIGHT	DIA. OF CENTRAL SHANK
40083	250mm,10"	7mm	7.8mm

PAINT ROLLER

Material: polyester and acrylic Convenient and fast change the roller cover Packed by poly bag



STOCK NO.	SIZE	LENGTH OF THE HANDLE	FIBRE HEIGHT	DIA. OF CENTRAL SHANK
40090	100mm,4"	400mm	11mm	5.7mm

PAINT ROLLER


40091 100mm,4"

Material: acrylic Convenient and fast change the roller cover Packed by poly bag

400mm

5.7mm

4mm



STOCK NO.

40112

STOCK NO. SIZE 40096 360x285x75mm **PAINT MIXER (HEX SHANK)** Carbon steel with powder coating Rubber hanging hole Packed by PE bag with color label STOCK NO. SIZE 40098 400x80x8mm 40099 600x100x10mm PAINT MIXER (SDS-PLUS SHANK) Carbon steel with powder coating Rubber hanging hole Packed by PE bag with color label 'SDS plus STOCK NO. SIZE 400x80x8mm 40101 40102 600x100x10mm **BRICKLAYING TROWEL** Wooden handle Packed by poly bag with color sticker DIA. OF CONNECTING ROD STOCK NO. SIZE 41008 130mm,5" 7.5mm

Plastic material

Packed by hot shrink with color label



Plastic handle Packed by poly bag with color sticker



STOCK NO.	SIZE	DIA. OF CONNECTING ROD
41050	130mm,5"	7.5mm
41051	150mm,6"	7.5mm
41052	175mm,7"	9.5mm
41053	200mm,8"	9.5mm

BRICKLAYING TROWEL

Plastic handle Packed by poly bag with color sticker



STOCK NO.	SIZE	DIA. OF CONNECTING ROD
41003	150mm,6"	7.5mm
41004	175mm,7"	9.5mm
41005	200mm,8"	9.5mm

BRICKLAYING TROWEL

Plastic handle Packed by poly bag with color sticker



STOCK NO.	SIZE	DIA. OF CONNECTING ROD
41055	140x85x107mm	9.5mm
41056	160x88x115mm	9.5mm
41057	180x90x120mm	9.5mm
41058	200x85x120mm	9.5mm

FULL RANGE OF PROFESSIONAL TOOLS WWW.TAKATOOLS.COM I

150mm,6"

175mm,7

200mm,8"

7.5mm

9.5mm


9.5mm


41000

41001



TOLSEN		TOOLS AND MORE
<text><text></text></text>	<text><text><text><text></text></text></text></text>	<text></text>
STOCK NO. SIZE 41012 280x120mm	STOCK NO. SIZE 41017 280x120mm	STOCK NO. SIZE 41030 130mm
PLASTERING TROWEL WITH TEETH Wooden handle With teeth: 10x10mm Packed by poly bag with color sticker	FOAM TROWEL Material: EVA Packed by poly bag with color sticker	HEAVY DUTY GLASS CUTTER Plastic handle High quality blade Packed by sliding card Figh Quality blade Packed by sliding card
The second second		Trans
STOCK NO. SIZE 41013 280x120mm	STOCK NO. SIZE 41019 230x100x10mm	STOCK NO. SIZE 41031 178mm TILE CUTTER
PLASTERING TROWEL Plastic handle Stainless steel Packed by poly bag with color sticker	FOAM TROWEL PS Plastic handle TPR BASE Packed by poly bag	Replacable cutting blades: Ø15xØ6x1.5mm Max cutting: 10mm Packed by color box
STOCK NO. SIZE 41016 280x120mm	STOCK NO. SIZE 41018 250x95x13mm	STOCK NO. SIZE 41033 400mm






 STOCK NO.
 PENCIL SIZE
 PENCIL LEAD SIZE

 42022 10x7.5x176mm
 4.0x2.0mm








WORKING GLOVES

Weight: 580g/doz Material: polyester knitted wrist One dozen in a polybag with color sticker





12x

GARDEN GLOVES

Weight: 750g/doz Material:polyester and cotton Knitted wrist One dozen in a polybag with color sticker



10(XL)



WORKING GLOVES

Material: polyester and cotton Latex coated Kintted wrist Excellent comfort and fit Textured palm dip for extra grip and durability Industry Applications: Materials handing, glass handing, operations, fishing, farming, construction and plywood industries, sanitation, general maintenance. One dozen in a polybag with color sticker



LEATHER WORKING GLOVES

Material: cow split leather Black cow split leather palm rest Packed by paper hange









10"



CE approved to EN166 Expert quality made from impact resistant polycarbonate Gives clear distortion free viewing Adjustable leg of frame for confortable use and fit Packed by poly bag with paper hanger



SAFETY GOGGLE

CE approved to EN166 Full view design Impact resistant Fit to wearing the corrective glasses, also can be used as visitors glasses. Can defend against splash particles in the round Packed by poly bag with paper hanger



SAFETY GOGGLE CE approved to EN166 Impact resistant Soft and light weight PVC frame with air holes High-impact polycarbonate lenses have high transparency comfortable for wearing. Packed by poly bag with paper hanger



STOCK NO. **45074**

WELDING GOGGLE

Flip design with open-close locking position Soft and light weight PVC frame Colored inorganic outer glass lens Transparent clear inner glass lens Packed by poly bag with paper hanger





STOCK NO. SIZE 45072

SAFETY GOGGLE

Made from high-performance polycarbonate Light weight, comfortable to wear, wide visual field Impact resistant Packed by poly bag with paper hanger



STOCK NO. SIZE 45073




STOCK NO. SIZE 45075

EAR PLUG

Conforms to ear structure,safe and sanitary Made from polyurethane foam,smooth and ultra supple; superior noise reduction effect, let operators keep acute hearing in noise ambient. Packed by OPP bag





Foldable design for convenient carry and store Impact-resistant ABS shell body, soft foam pad SNR: 28dB Packed by poly bag with paper hanger

> STOCK NO. SIZE 45082

EAR MUFF



STOCK NO. GLASS SIZE **45086** 108x50x3mm

45086 108x5

TOOLS AND MORE

EAR MUFF

CE approved







KNEE PADS

ĆΕ

SIZE

7 WHITE LED HEAD LIGHT

Multi-function: 1LED-3LED-7LED Battery type: 3xAAA Batteries (NOT included)



ĆΕ

SIZE

LED WORKING LIGHT

Battery Voltage: 4.5V Battery type: 3xAA Batteries (NOT included) LED source: 24 LED



XL

XXL

XXXL



WELDING ELECTRODE

E6013 For welding normal carbon steel structure 5kgs packed in one box



STOCK NO.	SIZE
44952	2.5x300mm
44953	3.2x350mm
44954	4.0x400mm

WELDING ELECTRODE

E7018 Excellent for welding carbon and low alloy steel structure 5kgs packed in one box



STOCK NO.	SIZE
44963	3.2x350mm
44964	4.0x400mm

TAPE DISPENSER

PP material Suitable for adhesive tape tape width: ≤ 50mm(2"), tape core diameter: 76mm(3"), tape outer diameter: 115mm(4.5") Including one roll of adhesive tape Packed by color box





STOCK NO. SIZE 50000

BOPP PACKING TAPE, CLEAR Superb tack and adhesion to surface

Used for carton sealing Transparent Five rolls packed by shrink



STOCK NO.	SIZE
50200	48mm x 30m 1.88" x 32.8yards
50202	48mm x 50m 1.88" x 54.6yards
50206	48mm x 100m 1.88" x 109.3yards

BOPP PACKING TAPE, SUPER CLEAR

Superb tack and adhesion to surface Used for carton sealing Transparent, super clear One roll packed by shrink with color paper





SIZE
48mm x 50m 1.88" x 54.6yards
48mm x 100m 1.88" x 109.3yards

TOLSEN

MASKING TAPE

With excellent heat resistance, fast paste, easy to peel off and tear, writing conveniently, soft and tender No residue after peeling off Ideal for surface masking protection, powder spraying, baking finish, paint coating masking application Two rolls packed by shrink with color paper



SELF ADHESIVE FIBERGLASS TAPE

High tensile strength, good bonding ability Acid-alkaline resistance , corrosion resistance Excellent positioning Packed by shrink wrap



CLOTH DUCT TAPE

Taking textile fabric cloth as the backing which is very durable High tensile strength Easy to tear by hand Designed for the reinforced protection of various pipes and objects, heavy duty packaging, carpet joints and affixing Packed by shrink wrap



TOCK NO. SIZE **50281** 48mm x 25m 1.88" x 27.3 yards



STOCK NO. SIZE 50105 2.5x100mm 50108 3.6x200mm 50110 4.8x300mm SHELF BRACKET Carbon steel Powder coated Packed by paper hanger STOCK NO. SIZE 51001 100x75mm 51002 100x125mm 51003 125x150mm 51004 150x200mm 51005 200x250mm 51006 250x300mm

300x350mm

51007



STOCK NO.	SIZE
51011	100x75mm
51012	100x125mm
51013	125x150mm
51014	150x200mm
51015	200x250mm
51016	250x300mm
51017	300x350mm

HEAVY DUTY BRASS PADLOCK

Hardened steel shackle, chrome plated

STOCK NO.	SIZE	WEIGHT
55111	20mm	38g
55113	30mm	100g
55114	40mm	166g
55115	50mm	282g
55116	60mm	395g

BRASS PADLOCK WITH LONG SHACKLE

Hardened steel shackle, chrome plated Weight: 130g Double bolted Rustproof interior With 2 pcs brass keys Packed by double blister

LOCKplus








TOOLS AND MORE

NDUSTRIAL

COMBINATION BRASS





NEW

Plastic body Packed by double blister



STOCK NO.	SIZE	CUP DIAMETER
62661	25kgs	11.5cm

DENT PULLER

With two suction cups Plastic body Packed by double blister





STOCK NO.	SIZE	CUP DIAMETER
62662	50kgs	11.5cm


DENT PULLER

With three suction cups Plastic body Packed by double blister











Packed by sliding card



RATCHET TIE DOWN Strap width: 25mm GS approved Lashing capacity: 135daN Breaking strength: 270daN Zinc plated ratchet

Packed by sliding card



 STOCK NO.
 SIZE

 62248
 25mmx5M



2PCS RATCHET TIE DOWN SET Strap width: 25mm GS approved Lashing capacity: 225daN Breaking strength: 450daN Zinc plated ratchet, with PVC grip Packed by plastic hanger with color label



4PCS RATCHET TIE DOWN SET

Strap width: 25mm GS approved Lashing capacity: 225daN Breaking strength: 450daN Zinc plated ratchet, with PVC grip Packed by plastic hanger with color label



INDUSTRIAL



INDUSTRIAL





STOCK NO. 62254







TOLSEN



NON SPARKING TOOLS





The TOLSEN non-sparking tools are specially designed for safe operations in environments subject to potential risk of explosion, in the presence of flammable liquids or gases, or for any applications that require using perfectly antimagnetic, corrosionresistant tools.

The TOLSEN non-sparking tools can be used in a wide variety of fields, such as:

- Mining
- Petrol and gas extraction (off-shore and on-shore)
- Refineries, petrochemicals
- Pipeline maintenance
- Energy production and transport (gas, electricity, etc.)
- Naval shipyards
- Aeronautical transport, airports
- Paint manufacture
- Manufacture of explosives & flammable products
- Arsenals, munitions and explosive products storage
- Applications requiring demagnetised tools (metal shavings, etc.)
- Farming Grain silos

- ...

CLASSIFICATION OF AREAS SUBJECT TO EXPLOSION RISK			
ATEX	HIGH	MEDIUM-LOW	EXTREMELY LOW
GASES	ZONE 0 AN area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is continuously present or present for long periods or frequently	ZONE 1 AN area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is likely to occur in normal operation	ZONE 2 AN area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is not likely to occur in normal operation but if it does occur, will persist for a short period only
DUSTS	ZONE 20 AN area in which an explosive atmosphere in the form of a cloud of combustible dust in air is continuously present or present for long periods or frequently	ZONE 21 AN area in which an explosive atmosphere in the form of a cloud of combustible dust in air is likely to occur in normal operation occasionally.	ZONE 22 AN area in which an explosive atmosphere in the form of a cloud of combustible dust in air is not likely to occur in normal operation but, if it does occur, will persist for a short period only.

NON SPARKING 1/2" DRIVE SOCKETS (SIX POINT)

In accordance to DIN 3124 / ISO 2725-1 Internal square in accordance to DIN 3120 / ISO 1174 with ball reception Non-sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non-Ferrous Alloy) Packed by color box

with ball lock

Non-sparking

Explosion proof

Corrosion resistant

Packed by color box

Very breakage resistant

an for

SIZE

1/2"

In accordance to DIN 3123 / ISO 3316 Square drive in accordance to DIN 3120 / ISO 1174

Aluminium-Bronze (Non-Ferrous-Alloy)

NON SPARKING UNIVERSAL JOINT

Internal square in accordance to DIN 3120 / ISO 1174

LENGTH

250mm

Al-Cu

310g

STOCK NO.

70145

with ball reception

with ball reception Non-sparking Explosion proof Corrosion resistant Very breakage resistant

Packed by color box

Aluminium-Bronze (Non-Ferrous-Alloy)



STOCK NO.	SIZE	LENGTH	Al-Cu
70108	8mm	40mm	64g
70110	10mm	40mm	67g
70111	11mm	40mm	66g
70112	12mm	40mm	64g
70113	13mm	40mm	75g
70114	14mm	40mm	80g
70115	15mm	40mm	86g
70116	16mm	40mm	82g
70117	17mm	40mm	72g
70118	18mm	40mm	117g
70119	19mm	40mm	105g
70120	20mm	40mm	125g
70121	21mm	40mm	126g
70122	22mm	40mm	135g
70123	23mm	40mm	146g
70124	24mm	40mm	142g
70125	25mm	40mm	157g
70126	26mm	40mm	174g
70127	27mm	40mm	174g
70128	28mm	40mm	210g
70129	29mm	40mm	212g
70130	30mm	40mm	231g
70131	31mm	42mm	243g
70132	32mm	42mm	272g

NON SPARKING 1/2" REVERSIBLE **RATCHET WRENCH**

In accordance to DIN 3122 / ISO3315 Square drive in accordance to DIN 3120 / ISO 1174 with ball lock Reversible Gearing with 45 teeth Non-sparking Explosion proof Corrosion resistant Very breakage resistant Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box



STOCK NO.	SIZE	LENGTH	Al-Cu
70140	1/2"	250mm	615g



NON SPARKING 17PCS 1/2DR SOCKET SET

Sockets: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30 32mm Ratchet Wrench 1/2" x 250mm. Sliding T-Handle 1/2" x 250mm Speed handle 1/2" x 400mm Driver Extension 1/2" x 125mm & 1/2" x 250mm Non-sparking Explosion proof Corrosion resistant Very breakage resistant Aluminium-Bronze (Non-Ferrous-Alloy)



STOCK NO.	SIZE
70024	1/2"
	0.22

NON SPARKING COMBINATION **SPANNER**

In accordance to DIN 3113 Form A / ISO 3318 / ISO 7738 Non-sparking Explosion proof Corrosion resistant Wear resistant

Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box

SIZE

6mm

7mm

8mm

LENGTH

120mm

120mm

120mm

Al-Cu

29g

31g

25g

STOCK NO.	SIZE	LENGTH	Al-Cu
70151	1/2"	75mm	170g
70152	3/4"	100mm	480g
70153	1"	135mm	900g

Square drive in accordance to DIN 3120 / ISO 1174

NON SPARKING DRIVER EXTENSION

In accordance to DIN 3123 / ISO 3316 Square drive in accordance to DIN 3120 / ISO 1174 with ball reception

Internal square in accordance to DIN 3120 / ISO 11 with ball reception

- Non-sparking
- Explosion proof
- Corrosion resistant Very breakage resistant
- Aluminium-Bronze (Non-Ferrous-Alloy)
- Packed by color box



STOCK NO.	SIZE	LENGTH	Al-Cu
70161	1/2"	125mm	230g
70162	1/2"	250mm	330g



	_	
	Ð	
	10	
	<u> </u>	
	70	
74		
/4		

INDUSTRI <i>A</i>	
IALJ	
	L

STOCK NO.

70200

70201

70202

70203	9mm	135mm	38g
70204	10mm	135mm	40g
70205	11mm	150mm	61g
70206	12mm	150mm	63g
70207	13mm	175mm	98g
70208	14mm	175mm	88g
70209	15mm	190mm	118g
70210	16mm	190mm	113g
70211	17mm	190mm	110g
70212	18mm	215mm	158g
70213	19mm	215mm	164g
70214	20mm	245mm	242g
70215	21mm	245mm	240g
70216	22mm	245mm	229g
70217	23mm	265mm	298g
70218	24mm	265mm	276g
70219	25mm	265mm	279g
70220	26mm	290mm	427g
70221	27mm	290mm	423g
70222	28mm	290mm	417g
70223	29mm	320mm	541g
70224	30mm	320mm	513g
70225	31mm	340mm	701g

32mm

340mm

684g

FULL RANGE OF PROFESSIONAL TOOLS WWW.TAKATOOLS.COM L



NON SPARKING DOUBLE OPEN **ENDED SPANNER**

In accordance to DIN 895 / ISO 3318 / ISO 1085
Non-sparking
Explosion proof
Corrosion resistant
Wear resistant
Aluminium-Bronze
(Non-Ferrous-Alloy)
Packed by color box

STOCK NO.	SIZE	LENGTH	Al-Cu
70230	6x7mm	92mm	22g
70231	8x9mm	98mm	33g
70232	10x11mm	115mm	47g
70233	12x13mm	128mm	67g
70234	14x15mm	150mm	95g
70235	16x17mm	165mm	110g
70236	18x19mm	165mm	112g
70237	20x22mm	185mm	146g
70238	21x23mm	210mm	223g
70239	24x27mm	230mm	294g
70240	25x28mm	230mm	302g
70241	30x32mm	260mm	482g

NON SPARKING DOUBLE RING **SPANNER OFFSET**

In accordance to DIN 895 / ISO 3318 / ISO 1085 Non-sparking

- Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze
- (Non-Ferrous-Alloy) Packed by color box

STOCK NO.	SIZE	LENGTH	Al-Cu
70250	6x7mm	120mm	32g
70251	8x9mm	130mm	46g
70252	10x11mm	160mm	75g
70253	12x13mm	180mm	99g
70254	14x15mm	220mm	142g
70255	16x17mm	250mm	211g
70256	18x19mm	250mm	208g
70257	20x22mm	280mm	283g
70258	21x23mm	310mm	348g
70259	24x27mm	340mm	487g
70260	25x28mm	340mm	468g
70261	30x32mm	380mm	677g

NON SPARKING ADJUSTABLE WRENCH

Non-sparking Explosion proof Corrosion resistant Very breakage resistant Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box

		03
1	alla.	7
1		1
	VI	

STOCK NO.	SIZE	Al-Cu
70302	150mm, 6"	134g
70303	220mm, 8"	231g
70304	250mm, 10"	358g
70305	300mm, 12"	671g
70306	375mm, 15"	1262g
70307	450mm, 18"	1768g
70308	60mm, 24"	3950g



Non-sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box



STOCK NO.	SIZE	Al-Cu
70311	200mm, 8"	404g
70312	250mm, 10"	714g
70313	300mm, 12"	955g
70314	350mm,14"	1365g
70315	450mm, 18"	2050g
70316	600mm,24"	3300g
70317	900mm.36"	5750a

NON SPARKING OPEN ENDED **SLOGGING WRENCH**

In accordance to DIN 133 With impact area For heavy duty applications Non-sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box



STOCK NO.	SIZE	LENGTH	Al-Cu
70324	24mm	150mm	220g
70325	26mm	160mm	260g
70326	27mm	160mm	268g
70327	30mm	175mm	372g
70328	32mm	190mm	421g
70330	35mm	210mm	685g
70331	36mm	210mm	688g
70333	41mm	220mm	739g
70334	46mm	245mm	1060g
70335	50mm	260mm	1229g
70336	55mm	280mm	1705g
70339	60mm	300mm	2213g
70341	65mm	310mm	2239g
70343	70mm	325mm	2558g
70344	75mm	345mm	3400g
70345	80mm	365mm	2600g

TOOLS AND MORE

NON SPARKING 12 POINT RING SLOGGING WRENCH

Flank Traction profile (12 point) In accordance to DIN 7444 With impact area For heavy duty applications Non-sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box



STOCK NO.	SIZE	LENGTH	Al-Cu
70394	24mm	155mm	216g
70395	26mm	165mm	291g
70396	27mm	165mm	298g
70397	30mm	175mm	410g
70398	32mm	175mm	388g
70400	35mm	195mm	579g
70401	36mm	195mm	562g
70403	41mm	220mm	723g
70404	46mm	230mm	879g
70405	50mm	245mm	1138g
70406	55mm	255mm	1170g
70409	60mm	265mm	1277g
70411	65mm	290mm	1890g
70413	70mm	320mm	2342g
70414	75mm	330mm	2682g
70415	80mm	345mm	2960g

NON SPARKING RATCHET WRENCH FOR SOCKET

With centring point Non-sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box





STOCK NO.	SIZE	LENGTH	Al-Cu
70421	17mm	225mm	479g
70422	19mm	245mm	566g
70423	21mm	260mm	642g
70424	22mm	260mm	642g
70425	24mm	265mm	666g
70426	26mm	280mm	848g
70427	27mm	280mm	795g
70428	30mm	300mm	906g
70429	32mm	310mm	1018g
70430	35mm	330mm	1308g
70431	36mm	330mm	1308g
70432	41mm	335mm	1621g



STOCK NO.

70522

SIZE

350mm

Al-Cu 1182g

Head and edge areas ground Edges rounded off Non sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non Ferrous Alloy) Packed by color box STOCK NO. SIZE 70601 300g 70602 500g 70603 1000g 70604 1500g NON SPARKING STONING HAMMER In accordance to DIN 6475 With fiberglass handle Head and edge areas ground Edges rounded off Non sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non Ferrous Alloy) Packed by color box

NON SPARKING MACHINIST

HAMMER

In accordance to DIN 1041

With fiberglass handle

STOCK NO.	SIZE
70606	1000g
70607	1500g
70608	2000g

NON SPARKING SLEDGE HAMMER

With fiberglass handle Head and edge areas ground Edges rounded off Non sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non Ferrous Alloy) Packed by color box



STOCK NO.	SIZE
70611	2LB
70612	3LB
70613	4LB
70614	6LB
70615	8LB



NON SPARKING CLAW HAMMER

With fiberglass handle Head and edge areas ground Edges rounded off Non sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non Ferrous Alloy) Packed by color box 

STOCK NO.	SIZE
70620	8OZ
70621	16OZ

NON SPARKING BALL PEIN HAMMER

With fiberglass handle Head and edge areas ground Edges rounded off Non-sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze (Non Ferrous Alloy) Packed by color box



STOCK NO.	SIZE
70626	16OZ
70628	320Z

NON SPARKING COMBINATION PLIERS

Non-sparking Explosion proof Corrosion resistant Very breakage resistant Copper Beryllium (Non-Ferrous-Alloy) With two component handle Packed by color box



STOCK NO.	SIZE	Al-Cu
70801	160mm, 6"	227g
70802	200mm, 8"	369g



FINDUSTRIAL

NON SPARKING DIAGONAL CUTTING PLIERS

Non-sparking Explosion proof Corrosion resistant Very breakage resistant Copper Beryllium (Non-Ferrous-Alloy) With two component handle Packed by color box



STOCK NO.	SIZE	Al-Cu
70806	160mm, 6"	181g
70807	200mm, 8"	269g

NON SPARKING SWEDISH 45° PIPE WRENCH

In accordance to DIN ISO 8976 With dipped covered handle Non-sparking Explosion proof Corrosion resistant
Very breakage resistant Aluminium-Bronze (Non-Ferrous-Alloy)
Packed by color box



STOCK NO.	SIZE	Al-Cu
70810	10"	370g

NON SPARKING SCREWDRIVER

Slotted
In accordance to DIN ISO 2380-2 / 2380-1 Form A
With hanging hole
With two component handle
Non-sparking
Explosion proof
Corrosion resistant
Very breakage resistant
Aluminium-Bronze (Non-Ferrous-Alloy)
Packed by color box



STOCK NO.	SIZE	Al-Cu
71001	3.0x50mm	32g
71002	3.0x75mm	40g
71003	4.0x100mm	50g
71004	5.0x125mm	85g
71005	6.0x125mm	110g
71006	8.0x200mm	155g
71007	9.0x250mm	170g
71008	10.0x300mm	245g

NOR NON SPARKING SCREWDRIVER Phillips In accordance to DIN ISO 2380-2 / 2380-1 Form A With hanging hole With two component handle Non-sparking Explosion proof Corrosion resistant Very breakage resistant Aluminium-Bronze (Non-Ferrous-Alloy) Packed by color box Non-Sparking STOCK NO. SIZE AI-Cu 3.0x50mm 32g

71011	3.0x50mm	32g
71012	3.0x75mm	40g
71013	4.0x100mm	50g
71014	5.0x125mm	85g
71015	6.0x125mm	110g
71016	8.0x200mm	155g
71017	9.0x250mm	170g
71018	10.0x300mm	245g

NON SPARKING KNIFE

Non-sparking Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze blade (Non-Ferrous-Alloy) Fine wooden handle Packed by color box



STOCK NO.	SIZE	Al-Cu
71201	150mm	125g

NON SPARKING PUTTY HAND SCRAPER Non-sparking

Korspanning Explosion proof Corrosion resistant Wear resistant Aluminium-Bronze blade (Non-Ferrous-Alloy) Fine wooden handle Packed by color box



STOCK NO.	SIZE	LENGTH	Al-Cu
71211	1"	200mm	80g
71212	1-1/2"	200mm	95g
71213	2"	200mm	115g
71214	3"	200mm	120g
71215	4"	200mm	165g



TOLSEN **TOOLS AND MORE SDS-PLUS POINT CHISEL SDS-MAX POINT CHISEL** INDUSTRIA Chrome alloy steel body Chrome alloy body Sand blasting finishing Sand blasting finishing Packed by PVC bag Packed by PVC bag SDS SDS **POWER** max plus TOOL ACCESSORIES **SDS-PLUS HAMMER DRILL BITS** INDUSTRIAL High quality TCT tip STOCK NO. SIZE STOCK NO. SIZE Chrome alloy steel body SDS plus shank, Double flute 75440 14x250mm 75456 18x400mm Sand blasting finishing Packed by PVC bag **SDS-PLUS FLAT CHISEL SDS-MAX FLAT CHISEL** Chrome alloy body Sand blasting finishing Chrome alloy body Sand blasting finishing Packed by PVC bag Packed by PVC bag SDS plus SDS , SDS max plus ~~~ STOCK NO. STOCK NO. SIZE SIZE STOCK NO. AxI 5x110mm 75441 14x250 x 20mm 75457 18x400x25mm 75301 75317 5.5x110mm 75302 6x110mm **SDS-PLUS FLAT CHISEL HEX POINT CHISEL** 75318 6.5x110mm 75303 75304 7x110mm 8x110mm Chrome alloy steel body Chrome alloy body Sand blasting finishing Sand blasting finishing 75306 75308 10x110mm 12x110mm Packed by PVC bag Packed by PVC bag 5x160mm 5.5x160mm 75321 75337 75322 6x160mm 75338 75323 6.5x160mm 7x160mm 75324 75325 8x160mm 9x160mm SDS 75326 10x160mm plus 11x160mm 75327 75328 12x160mm 75329 75330 13x160mm 14x160mm 75342 75344 6x210mm 8x210mm 75346 10x210mm 75347 11x210mm 75348 12x210mm STOCK NO. SIZE STOCK NO. SIZE 75349 75350 13x210mm 14x210mm 75442 75450 17x280mm 14x250x40mm 75352 75362 16x210mm 6x260mm **SDS-PLUS CHISEL** HEX FLAT CHISEL 75363 7x260mm 75364 75365 8x260mm Chrome alloy body Chrome alloy steel body 9x260mm Sand blasting finishing Sand blasting finishing 75366 75367 10x260mm 11x260mm Packed by PVC bag Packed by PVC bag 75368 12x260mm 75369 13x260mm 75370 14x260mm 75372 75384 16x260mm 8x310mm 1 75386 75387 10x310mm 11x310mm 12x310mm 14x310mm 75388 SDS 75390 75392 16x310mm plus 75394 75396 75406 75408 18x310mm 20x310mm 10x450mm 12x450mm 75409 75410 13x450mm 14x450mm 75410 75412 75414 75415 75416 16x450mm 18x450mm 20x450mm STOCK NO SIZE STOCK NO SIZE

14x250x22mm

75451

17x280x25mm

75448

22x450mm

24x450mm

TOLSEN		TOOLS AND MORE
MASCONRY DRILL BITS SQ5468, DIN8039 Cropean standard carbide tip 130° general angle Cylindrical shank Chrome plated surface Apachines For use in brick masonry block Light concrete Packed by blister card	EXTRA-LONG CONCRETE DRILL BIT High quality TCT tip Chrome alloy steel body Round shank, double flute Sand blasting finishing Packed by PVC bag	M2 HSS TWIST DRILL BITS HSS/M2, DIN338 Fully ground 135° split point Packed by blister card
STOCK NO. SIZE 75460 3x60mm 75461 4x75mm 75462 5x85mm 75463 6x100mm 75463 6x100mm 75464 8x120mm 75465 10x120mm 75466 12x150mm 75466 12x150mm 75467 14x150mm 75468 16x150mm	STOCK NO. SIZE 75530 8.0x200mm 75540 6.0x300mm 75541 8.0x300mm 75542 10.0x300mm 75543 12.0x300mm 75544 13.0x300mm 75545 14.0x300mm 75546 16.0x300mm 75547 18.0x300mm 75548 20.0x300mm 75549 25.0x300mm 75560 6.0x400mm 75561 8.0x400mm 75562 10.0x400mm 75563 12.0x400mm 75565 14.0x400mm 75565 14.0x400mm 75565 16.0x400mm 75565 16.0x400mm 75565 16.0x400mm 75567 18.0x400mm 75568 20.0x400mm 75569 25.0x400mm	SPLIT POINT
CONCRETE DRILL BIT High quality TCT tip Chrome alloy steel body Round shank, double flute Sand blasting finishing Packed by blister card	HSS TWIST DRILL BITS HSS,DIN338 Roll forged 118° general angle Packed by poly bag with color label	STOCK NO. SIZE FLUTE LENGTH 75040 1.0x34mm 12mm 75041 1.5x43mm 20mm 75042 2.0x49mm 24mm 75043 2.5x57mm 30mm 75044 3.0x61mm 33mm 75072 3.2x65mm 36mm 75045 3.5x70mm 39mm
STOCK NO. SIZE 75500 3.0x60mm 75501 4.0x75mm 75502 4.5x75mm 75503 5.0x85mm 75504 5.5x100mm 75505 6.0x100mm 75506 6.5x100mm 75507 7.0x100mm 75508 8.0x120mm 75509 8.5x120mm 75510 9.0x120mm 75511 10.0x120mm 75513 12.0x150mm 75514 13.0x150mm 75515 14.0x150mm 75516 15.0x150mm 75517 16.0x150mm 75518 18.0x160mm 75520 20.0x160mm 75521 22.0x160mm 75521 22.0x160mm 75522 24.0x160mm	STOCK NO. SIZE FLUTE LENGTH 75000 1.0x34mm 12mm 75001 1.5x43mm 20mm 75002 2.0x49mm 24mm 75003 2.5x57mm 30mm 75004 3.0x61mm 33mm 75005 3.5x70mm 39mm 75006 4.0x75mm 43mm 75007 4.5x80mm 47mm 75008 5.0x86mm 52mm 75010 6.0x93mm 57mm 75011 6.5x101mm 63mm 75012 7.0x109mm 69mm 75013 7.5x109mm 69mm 75014 8.0x117mm 75mm 75015 8.5x117mm 75mm 75016 9.0x125mm 81mm 75018 10.0x133mm 87mm 75019 1.5x	750464.0x75mm43mm750734.2x75mm43mm750474.5x80mm47mm750474.8x86mm52mm750485.0x86mm52mm750495.5x93mm57mm750506.0x93mm57mm750516.5x101mm63mm750527.0x109mm69mm750537.5x109mm69mm750548.0x117mm75mm750558.5x117mm75mm750569.0x125mm81mm750579.5x125mm81mm7505810.0x133mm87mm7505910.5x133mm87mm7506011.0x142mm94mm7506112.5x151mm101mm7506312.5x151mm101mm7506413.0x151mm101mm


			UNL	
HSS/ Fully 135°	M35 (Co5%), ground split point d by blister ca		BITS	FINDUSTRIALJ
5	2.34			
SF	PLIT	POII	NT	FJ
a	0R/			Co 5%
\bigcirc				
	STOCK NO.	SIZE	FLUTE LENGTH	
	75140	1.0x34mm	12mm	
	75141	1.5x43mm	20mm	
	75142	2.0x49mm	24mm	
	75143	2.5x57mm	30mm	
	75144	3.0x61mm	33mm	
	75172	3.2x65mm	36mm	
	75145 75146	3.5x70mm 4.0x75mm	39mm	
	75146	4.0x75mm 4.2x75mm	43mm 43mm	
	75147	4.5x80mm	47mm	
	75174	4.8x86mm	52mm	
	75148	5.0x86mm	52mm	
	75149	5.5x93mm	57mm	
	75150	6.0x93mm	57mm	
	75151	6.5x101mm	63mm	
	75152	7.0x109mm	69mm	
	75153	7.5x109mm	69mm	
	75154 75155	8.0x117mm 8.5x117mm	75mm 75mm	
	75155	9.0x125mm	81mm	
	75157	9.5x125mm	81mm	
	75158	10.0x133mm	87mm	
	75159	10.5x133mm	87mm	
	75160	11.0x142mm	94mm	
	75161	11.5x142mm	94mm	
	75162	12.0x151mm	101mm	
	75163	12.5x151mm	101mm	
	75164	13.0x151mm	101mm	


WOOD DRILL BIT High quality carbon steel Hardened and tempered Black finished with polished surface Packed by blister card STOCK NO. SIZE 75600 3x61mm 75601 4x75mm 75602 5x86mm 75603 6x93mm 75604 7x109mm 75605 8x117mm 75606 9x125mm 75607 10x133mm 75608 11x142mm 75609 12x151mm 75610 13x151mm

FLAT WOOD BITS

DIN338

Medium quality carbon steel hardened and tempered Precision polished With 1/4" quick release hex shank Total length:152mm Packed in blister card





3, 4, 5, 6, 7, 8, 9,

10mm







25PCS HSS TWIST DRILL BITS SET

TOOLS AND MORE

FLAT CUTTING-OFF WHEEL (TYPE For metal & stainless steel 12413

M/S

EN

41)

STOCK NO.	SIZE	MAX. RPM
76101	105x1.2x16mm 4x1/21x5/8	15,300
76102	115x1.2x22.2mm 4-1/2x1/21x7/8	13,300
76103	125x1.2x22.2mm 5x1/21x7/8	12,250
76105	180x1.6x22.2mm 7x1/16x7/8	8,500
76107	230x2.0x22.2mm 9x1/12x7/8	6,650
76120	350x3.0x25.4mm 12"x1/8"x1"	4,400

DEPRESSED CENTRE CUTTING-OFF WHEEL (TYPE 42)

For metal



TO	LSEN	-
A MARINE		and a

STOCK NO.	SIZE	MAX. RPM
76141	100x3.0x16.0mm 4x1/8x5/8	15,300
76142	115x3.0x22.2mm 4-1/2x1/8x7/8	13,300
76143	125x3.0x22.2mm 5x1/8x7/8	12,250
76145	180x3.0x22.2mm 7x1/8x7/8	8,500
76147	230x3.0x22.2mm 9x1/8x7/8	6,650

FULL RANGE OF PROFESSIONAL TOOLS WWW.TAKATOOLS.COM I

38mm

40mm

42mm

45mm

48mm

50mm

55mm

60mm

65mm

70mm

75mm

75938

75940

75942

75945

75948

75950

75955

75960

75965

75970

75975

STOCK NO.

75081

SIZE 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm

DEPRESSED CENTRE CUTTING-OFF WHEEL (TYPE 42)

For stone



80 M/S

EN 12413

 $(\circ$ (M)

5đ

80 м/s

EN 12413,

(D)

STOCK NO.	SIZE	MAX. RPM
76181	100x3.0x16.0mm 4x1/8x5/8	15,300
76182	115x3.0x22.2mm 4-1/2x1/8x7/8	13,300
76183	125x3.0x22.2mm 5x1/8x7/8	12,250
76185	180x3.0x22.2mm 7x1/8x7/8	8,500
76187	230x3.0x22.2mm 9x1/8x7/8	6,650

DEPRESSED CENTRE GRINDING

WHEEL (TYPE 27) For metal



STOCK NO.	SIZE	MAX. RPM
76301	100x6.0x16.0mm 4x1/4x5/8	15,300
76302	115x6.0x22.2mm 4-1/2x1/4x7/8	13,300
76303	125x6.0x22.2mm 5x1/4x7/8	12,250
76305	180x6.0x22.2mm 7x1/4x7/8	8,500
76307	230x6.0x22.2mm 9x1/4x7/8	6,650

WI	HEEL (ED CENTRE TYPE 27)	GRINDING	i I
Fc	or stone	Pill		80 M/s 12413
	an the		in sec	
	STOCK NO.	< SIZE	MAX. RPM	
	7632	1 100x6.0x16.0 4x1/4x5/8	0mm 15,300	
	76322	11546 0422 1		
	76323	12546 0422		
	7632	180×6 0×22	2mm 8,500	
	76323	7 230x6.0x22. 9x1/4x7/8	^{2mm} 6,650	
Su	itable for v	BLADE wood cutting ouble blister		
	5700%			.
	STOCK NO.	SIZE	ADJUSTING WASHER	
	76410	110mm(4-3/8") x 40T x 20mm 115mm(4-1/2")	16mm	
	76420	185mm(7-1/4")	16mm	
	76430	x 24T x 30mm 185mm(7-1/4")	16/20/25.4mm	
	76431	210mm(8-1/4")	16/20/25.4mm	
	76440	210mm(8-1/4")	16/20/25.4mm	
	76441	x 48T x 30mm 235mm(9-1/4")	16/20/25.4mm	
	76450	x 40T x 30mm 235mm(9-1/4")	16/20/25.4mm	
	76451 76460	254mm(10")	16/20/25.4mm	
	76460	x 40T x 30mm 254mm(10")	16/20/25.4mm	
	76461	x 60T x 30mm 305mm(12")	16/20/25.4mm	
	/04/0	x 60T x 30mm	10/ 20/ 23.4mm	



	80 M/S
SIZE	MAX. RPM
100x16.0mm 4x5/8	15,300
115x22.2mm 4-1/2x7/8	13,300
125x22.2mm 5x7/8	12,250
180x22.2mm	8,500

8,500

6,650

7x7/8 230x22.2mm

9x7/8

STOCK NO. 76720 76722 76723

76725



	CUTTING BL	ADE					H WITH	
Blade width:10m	im		Z	ldeal surfac		ioving rust, p	aint and varn	ish from
		TRANSPORT	NDUSTR		ues dia:0.3	mm	1	-
		8 115 -34	STE	Packe	ed by co	olor box	10	-
1	T-A-	80.00	R A I				6	12
EF1	1151.	0	É					1000
Allo	ALC IN THE					- S	1	
TOL	SEN					1000		
Contraction of the second					A	- 161	2	
8 10.1	Territor 1							
三日	- 1×							
C OP	10 10				<u>.</u>			1
	and the		EN 3236	12	2.4	Non-	illine and	0
23.00	111			12	- A.	1.1.2.1	10	1
		(80)		2	22^{11}		11.10	18
		M/S/			100	Maria	1 TT MAY	
						1953 - 576		
STOCK NO.	SIZE	MAX. RPM			OCK	SIZE	THREAD	MA)
	100x16.0mm				NO. 7581	75mm	M10x1.5	RPN 12,50
76740	4x5/8	15,300			7501	75mm	M10x1.5 M14x2	12,50
76742	115x22.2mm 4-1/2x7/8	13,300			7503	100mm	M14x2	8,50
76743	4-1/2x7/8 125x22.2mm	12,250			7504	125mm	M14x2	6,50
	5x7/8 180x22.2mm				504	1231111	111472	0,00
76745	7x7/8	8,500			T\A/I		E BRUSH	WIT
76747	230x22.2mm 9x7/8	6,650				ST WIRL	. DROSH	****
	5,7,6			NUT	60	a in a mat	متمغ مم ما برم بح	iala fira na
SEGMENTE	D TURBO CU		5	surfac		ioving rust, p	aint and varn	ISH ITOM
GRINDING			6		dia:0.5	mm		-
Blade size: 20x5r			Y	Packe	ed by co	olor box	10	×
Didde Size.zoxor		40 15					8	1
		80 1				100	10	1
						10.00		
		a start a				Q. 13-		
		and the second	1			100		
	100	16 - C.J.	9					
AUN	100			4				-
1000		See.		- 1	Sec.			100
	100			- 78	(S_{R})	M MT	or n Kill	50
1000				1	9, 3	1996 AN A		F .
			EN 3236			1000	0.6	
and the second	11.2		236	_				
100	111	80			STOCK NO.	SIZE	THREAD	MAX RPM
		M/S/		17	77587	75mm	M10x1.5	12,50
					77507	75mm	M14x2	12,50
STOCK	SIZE	MAX.			77509	100mm	M14x2	8,500
NO.	100x22.2mm	RPM		7	77510	125mm	M14x2	6,500
76680	4x7/8	15,300						
76681	115x22.2mm	13,300		CUP	TWI	ST WIRE	BRUSH	WIT
	4-1/2x7/8 125x22.2mm					AVY DU		
76682	5x7/8	12,250					aint and varn	ish from
				surfac		ioning root, p		
5PCS MOU	NTED STONE	ES SET			dia: 0.5		15	S
3pcs brown alum					ad: M14	ix2 blor box		TES
1pc pink aluminu 1pc white alumin				Tacke	SU Dy C		1	13
Packed by sliding								
	,							
						12.14	E- 1	
						1		
						1	1	
-								1
					1			1
					1			-



Ø6x27mm

23,000


77110





Ideal for removing rust, paint and varnish from metal

TOOLS AND MORE



SIZE

75mm

100mm

MAX.

RPM

8,500

8,500

77527

125mm

3,750


STOCK

NO.

77513







Material: 40Cr

Sand blasting finishing



TOLSEN

3PCS SDS-PLUS ADAPTOR



3PCS NUT SOCKET SET

Without magnetic 1/4" hex bits Length: 38mm Packed by blister card





77803 8mm 77812 3/8

3PCS MAGNETIC NUT SOCKET SET

With strong magnetic 1/4" quick release hex bits Length: 48mm Packed by blister card



3

(d))



4

3

STOCK NO.	SIZE
77823	8mm
77825	10mm
77830	1/4"
77831	5/16"
77832	3/8"

5PCS WIRE BRUSHES SET

1" wire end brushes with shank 2"-3" circular grinding wire brush with shank 2"-3" cup brush with shank Shank dia:6.35mm(1/4'') Packed by sliding card



SIZE

115mm

125mm

150mm

THREAD

M14x2

M14x2


M14x2

STOCK NO.

77260

77261





75680

TOOLS AND MORE

9PCS BI-METAL HOLE SAW SET

6pcs hole saw: 3/4"(19mm), 7/8"(22mm), 1-1/8"(29mm), 1-1/2"(38mm), 1-3/4"(44mm), 2-1/4"(57mm) 2pcs Arbors: 3/8"(9.5mm) Hex shank arbor with HSS polit drill for 1/2"-1-3/16"(11-30mm) hole saw, 7/16"(11mm) Hex shank arbor with HSS polit drill for 1-1/4"-8-17/64"(32-210mm) hole saw Dcc adapter

Packed in blow mould case





STOCK NO. SIZE

11PCS HOLE SAW SET

8pcs hole saw: 3/4(19mm), 7/8"(22mm), 1-1/8"(29mm), 1-1/4"(32mm), 1-1/2"(38mm), 1-3/4"(44mm), 2"(51mm), 2-1/2"(64mm) 2pcs arbors 1pc hex key wrench:2.5mm Packed in blow mould case





STOCK NO. SIZE 75865

75858

OLSEN

DIAMETER

14mm,9/16"

16mm,5/8"

19mm,3/4"

17mm,11/16"

20mm,25/32"

21mm.13/16"

22mm,7/8"

24mm,15/16"

27mm.1-1/16"

29mm,1-1/8" 30mm,1-3/16"

32mm,1-1/4"

33mm,1-5/16" 35mm 1-3/8"

37mm,1-7/16"

38mm,1-1/2"

40mm.1-9/16"

41mm,1-5/8" 43mm,1-11/16"

44mm,1-3/4"

51mm,2"

46mm,1-13/16"

52mm,2-1/16"

54mm,2-1/8"

57mm,2-1/4"

59mm.2-5/16"

60mm,2-3/8"

64mm,2-1/2"

65mm,2-9/16"

67mm,2-5/8"

70mm,2-3/4"

73mm,2-7/8"

79mm,3-1/8"

83mm,3-1/4"

86mm,3-3/8"

89mm.3-1/2'

92mm,3-5/8" 95mm,3-3/4"

98mm,3-7/8"

105mm,4-1/8"

108mm,4-1/4"

111mm,4-3/8" 114mm,4-1/2"

121mm,4-3/4"

140mm,5-1/2"

146mm,5-3/4"

200mm,7-7/8"

127mm,5" 133mm,5-1/4"

152mm,6"

102mm,4"

76mm,3"

68mm,2-11/16"

48mm,1-27/32"

25mm,1"

8PCS HOLE SAW SET

5pcs hole saw: 2-1/2(64mm), 3"(76mm), 3-1/2"(89mm), 4"(102mm), 5"(127mm) 1pc arbor 1pc hex key wrench:2.5mm 1pc driver plate Packed in blow mould case






STOCK NO. SIZE 75866

11PCS DIAMOND CORE DRILL SET

5pcs diamond core drill: Ø38mm x 170mm, Ø52mm x 170mm, Ø65mm x 170mm, Ø117mm x 170mm, Ø127mm x 170mm Ipc SDS+ adaptor: 115mm Ipc SDS+ extension adaptor: 240mm Ipc Hex adaptor: 12 x 88mm Ipc Hex extension adaptor: 12 x 240mm Ipc Centre drill: 10 x 200mm Ipc Drift key: 6 x 50mm Packed by blow mould case with color sleeve






7PCS HOLE SAW SET

Hole saw diameter:26,32,38,45,50,56,63mm Packed by double blister







ARBOR FOR HOLE SAW Packed by double blister




STOCK	SHANK	FIT HOLE
NO.	SIZE	SAW
75700	3/8"	14-30mm

ARBOR FOR HOLE SAW Packed by double blister






TOLSEN



STOCK NO. TOTAL LENGTH 76802 100mm **5**x





PLASTIC TOOL BOX Seperately PP box Net weight: 670g



TOLSEN

TOOL BOX Steel thickness:0.6~0.8mm Net weight: 5.1kgs/11.2lbs 3 layers Packed by carton







 STOCK NO.
 SIZE

 80190
 340x180x130mm


 STOCK NO.
 SIZE

 80201
 420x230x190mm

TOOL BOX Steel thickness:0.6~0.8mm Net weight: 3.3kgs/7.3lbs 3 layers Packed by carton

FINDUSTRIALJ







 STOCK NO.
 SIZE

 80211
 404x200x195mm

 STOCK NO.
 SIZE

 80212
 495x200x290mm

TAKATOOLS PRODUCTCATALOGUE

TAKATOOLS

PT TakaTools Batam Indonesia Gudang Superland Blok A No.2 Melcem, Batu Ampar 29444 Batam - Indonesia +62 778 4093813

TakaTools

11 Tuas South Link 1 #03-18 SHINE@TUAS SOUTH Singapore 636901 +65 65059098

e-mail : sales@taka.tools